ОРГАН З ОЦІНКИ ВІДПОВІДНОСТІ
ДЕРЖАВНЕ ПІДПРИЄМСТВО "ХАРКІВСЬКИЙ РЕГІОНАЛЬНИЙ
НАУКОВО - ВИРОБНИЧИЙ ЦЕНТР СТАНДАРТИЗАЦІЇ, МЕТРОЛОГІЇ ТА СЕРТИФІКАЦІЇ"
(ДП "Харківстандартметрологія")

СЕРТИФІКАТ ВІДПОВІДНОСТІ

№201026 Серія ХА

Зареєстровано в Реєстрі ДП "Харківстандартметрологія"
за № UA.ХОДС.07.1676-25
Термін дії з 10 грудня 2025 р. до 09 грудня 2026 р.

Продукція

Матеріали рулонні покрівельні та гідроізоляційні, ті що наплавляються, торгівельних марок: "АКВАІЗОЛ", "РУБЕРІТ", код ДКПП 23.99.12

Відповідає вимогам

ДСТУ EN 13969:2022 (EN 13969:2004, IDT, EN 13969:2004/A1:2006, IDT) п. 5.4, ДСТУ EN 13707:2023 (EN 13707:2013, IDT) п.п. 5.2.10, 5.2.18, ДСТУ БВ.2.7-234:2010 пп 4.1.2, 4.1.4, 4.4.1, табл.1 (крім поз. 8, 9), 4.4.2, табл.2 (крім поз. 10, 11), ДСТУ БВ.2.7-101-2000 пп 4.1.9, 4.1.10, 4.1.14, 4.1.15, 4.1.18-4.1.20, 4.1.23; ТУ У В.2.7-26.8-25178147-001:2010 "Матеріали рулонні покрівельні та гідроізоляційні, ті що наплавляються. ТУ" п. 3.3, табл. 1. Зміни №1:2014, №2:2020

Виробник продукції

ТОВ "Акваізол", 62371, Харківська обл., Харківський р-н, с. Подвірки, вул. Сумський шлях, 47-Б, код ЄДРПОУ 31466053

Сертифікат видано

ТОВ "Акваізол", 62371, Харківська обл., Харківський р-н, с. Подвірки, вул. Сумський шлях, 47-Б, код ЄДРПОУ 31466053

Додаткова інформація

матеріали рулонні покрівельні та гідроізоляційні, ті що наплавляються, що виготовляються серійно з 10.12.2025 р. до 09.12.2026 р., з урахуванням гарантійного терміну зберігання, інспектування сертифікованої продукції та її виробництва один раз на рік. Умови чинності сертифікату наведені на зворотньому боці. Добровільна сертифікація.

Сертифікат видано органом з сертифікації

ДП "Харківстандартметрологія, м. Харків, вул. Мироносицька, буд. 36, тел. (057) 756-38-09

На підставі

випробувань що були проведені: ДВЦ ПОВ ДП 'Харківстандартметрологія', 61002, м. Харків, вул. Мироносицька, 36, атестат №20545 від 14.10.2025 р. Протокол № 65.12.25.126 від 08.12.2025 р. Висновок щодо можливості видачі сертифікату відповідності від 10.12.2025 р.

Державне підприємство «Харківський регіональний науково-виробничий центр стандартизації, метрології та сертифікації (ДП «Харківстандартметрологія»)
ОРГАН З ДОБРОВІЛЬНОЇ СЕРТИФІКАЦІЇ ХОДС

Заступник
Керівник органу з сертифікації _____ М.І. Череватенко
(підпис) *(ініціали, прізвище)*

УКРАЇНА

Ukrainian Certification

ОРГАН З ОЦІНКИ ВІДПОВІДНОСТІ
ТОВ «УКРСЕРТІФІКЕЙШН»
вул. Володимира Стельмаха, 62Д, м. Рівне, 33018, +38073-77-321-77,
e-mail: ukrcertification@ukr.net, www.ukrcertification.com,
ідентифікаційний номер ООВ № UA.TR.140

1О393
Сертифікація продукції

СЕРТИФІКАТ ВІДПОВІДНОСТІ КОНТРОЛЮ ВИРОБНИЦТВА НА ПІДПРИЄМСТВІ

№ UA.TR.140.00132-26

У відповідності з Законом України «Про надання будівельної продукції на ринку», цей сертифікат відноситься до будівельної продукції:

Матеріали листові гнучкі гідроізоляційні
згідно ДСТУ EN 13969:2019 "Матеріали листові гнучкі гідроізоляційні. Бітумні вологостійкі листи, зокрема й листи для гідроізоляції фундаментів. Визначення та характеристики (EN 13969:2004, IDT). Зі зміною № 1:2019"

розміщена на ринку під назвою або торговою маркою підприємства

ТОВ «АКВАІЗОЛ» Україна, 62371, Харківська обл., с. Подвірки, вул. Сумський Шлях, 47Б, код ЄДРПОУ 31466053

та виготовлена на підприємстві:

ТОВ «АКВАІЗОЛ» Україна, 62371, Харківська обл., с. Подвірки, вул. Сумський Шлях, 47Б, код ЄДРПОУ 31466053

Цей сертифікат засвідчує виконання всіх положень щодо оцінки та перевірки стабільності характеристик, описаних у Додатку ZA до стандартів:

ДСТУ EN 13969:2019 "Матеріали листові гнучкі гідроізоляційні. Бітумні вологостійкі листи, зокрема й листи для гідроізоляції фундаментів. Визначення та характеристики (EN 13969:2004, IDT). Зі зміною № 1:2019"

із застосуванням **системи 2+** та, що

контроль виробництва на підприємстві оцінюється як такий, що відповідає застосовним вимогам.

цей сертифікат був вперше виданий 16.07.2026 та буде дійсним поки один з параметрів (стандарт на продукцію, будівельна продукція, методи оцінки та перевірки стабільності показників, виробничий процес) не зазнає суттєвих змін, або якщо не буде призупиненим, або анульованим призначеним органом із сертифікації контролю виробництва на підприємстві. Проведення технічного нагляду за сертифікованою продукцією буде здійснюватись один раз на рік.

Керівник призначеного органу **Олександр ГУБЕРНАТОР**

16.07.2026 **М.П.**

Товариство з обмеженою відповідальністю «УКРСЕРТІФІКЕЙШН» Орган з сертифікації 43478470 Україна

Чинність сертифіката можна перевірити з допомогою QR-коду або за тел.: +38073-77-321-77

Center for Testing and European Certification

NOTIFIED BODY NB 1871

CERTIFICATE

OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL

1871 - CPR - 0287

In compliance with ***Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011*** (the Construction Products Regulation or CPR), this certificate applies to the construction products

FLEXIBLE SHEETS FOR WATERPROOFING

with intended use described in the Annex,

placed on the market under the name or trade mark of

AQUAIZOL LLC

62371, Kharkiv region, Podvorky v., 47b Sumsky Shliakh str., Ukraine

and produced in the manufacturing plant

AQUAIZOL LLC

62371, Kharkiv region, Podvorky v., 47b Sumsky Shliakh str., Ukraine

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 13969:2004, EN 13969:2004/A1:2006, EN 13707:2004+A2:2009

under system 2+ are applied and that

the factory production control is assessed to be in conformity with the applicable requirements.

This certificate will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body.

The validity of the certificate is confirmed annually by reissuing while observing the rules for certification of CTEC Ltd.

First issue: 15.08.2018

Current issue: 15.08.2026

Expiry date: 15.08.2027

Manager:
Dipl. eng. Blagovesta Shineva

ЦЕНТЪР ЗА ИЗПИТВАНЕ И ЕВРОПЕЙСКА СЕРТИФИКАЦИЯ • СТАРА ЗАГОРА

IAF MEMBER OF MULTILATERAL RECOGNITION ARRANGEMENT

EA BAS reg. № 8 ОСП PRODUCT CERTIFICATION BODY

This edition of the certificate replaces and cancels all its previous editions
This certificate includes one Annex with 2 (two) pages

2, Industrialna Str., 6006 Stara Zagora, Bulgaria
tel.: +359 42 620368 | www.ctec-sz.com

CENTER FOR TESTING AND EUROPEAN CERTIFICATION

NOTIFIED BODY NB 1871

ANNEX TO

CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL

1871 – CPR – 0287

Type of products	Intended use	Technical specification /EN/
Flexible reinforced bitumen sheets: - "Ruberit ECO-FG-2,0" - "Ruberit ECO-FG-2,5" - "Ruberit ECO-PE-2,5" - "Ruberit ECO-FG-4,0-PB or PS"* - "Ruberit ECO-PE-4,0-PB or PS"*	Damp proofing for buildings	EN 13969:2004; EN 13969:2004/A1:2006
	For roof waterproofing	EN 13707:2004+A2:2009
Flexible reinforced bitumen sheets: - "Ruberit-FG-2,0" - "Ruberit-FG-2,5" - "Ruberit PE-2,0" - "Ruberit PE-2,5" - "Ruberit PE-3,0" - "Ruberit FG-3,5-PB or PS"* - "Ruberit FG-4,0-PB or PS"* - "Ruberit PE-3,5-PB or PS"* - "Ruberit PE-4,0-PB or PS"* - "Ruberit PE-4,5-PB or PS"*	Damp proofing for buildings	EN 13969:2004; EN 13969:2004/A1:2006
	For roof waterproofing	EN 13707:2004+A2:2009
Flexible reinforced bitumen sheets: - "Aquaizol ECO-FG-2,5" - "Aquaizol ECO-FG-3,0" - "Aquaizol ECO-PE-2,5" - "Aquaizol ECO-PE-3,0" - "Aquaizol ECO-PE-4,0" - "Aquaizol ECO-FG-4,0-PB or PS"* - "Aquaizol ECO-PE-4,0-PB or PS"*	Damp proofing for buildings	EN 13969:2004; EN 13969:2004/A1:2006
	For roof waterproofing	EN 13707:2004+A2:2009
Flexible reinforced bitumen sheets: - "Aquaizol APP-FG-2,0" - "Aquaizol APP-FG-2,5" - "Aquaizol APP-FG-3,0" - "Aquaizol APP-PE-2,0" - "Aquaizol APP-PE-2,5" - "Aquaizol APP-PE-3,0" - "Aquaizol APP-FG-3,5-PB or PS"* - "Aquaizol APP-FG-4,0-PB or PS"* - "Aquaizol APP-PE-3,5-PB or PS"* - "Aquaizol APP-PE-4,0-PB or PS"* - "Aquaizol APP-PE-4,5-PB or PS"* - "Aquaizol APP-PE-5,0-PB or PS"*	Damp proofing for buildings	EN 13969:2004; EN 13969:2004/A1:2006
	For roof waterproofing	EN 13707:2004+A2:2009

First issue: 15.08.2018

Current issue: 15.08.2026

Expiry date: 15.08.2027

Manager:
Dipl. eng. Blagovesta Shineva

CENTER FOR TESTING AND EUROPEAN CERTIFICATION

NOTIFIED BODY NB 1871

ANNEX TO

CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL

1871 – CPR – 0287

Type of products	Intended use	Technical specification /EN/
Flexible reinforced bitumen sheets: - "Aquaizol SBS-FG-2,5" - "Aquaizol SBS-FG-3,0" - "Aquaizol SBS-PE-2,5" - "Aquaizol SBS-PE-3,0"	Damp proofing for buildings	EN 13969:2004; EN 13969:2004/A1:2006
- "Aquaizol SBS-FG-4,0-PB or PS"* - "Aquaizol SBS-PE-4,0-PB or PS"* - "Aquaizol SBS-PE-4,5-PB or PS"*	For roof waterproofing	EN 13707:2004+A2:2009
Flexible reinforced bitumen sheets: - "Aquaizol ELAST-PE-4,0-PB or PS" - "Aquaizol ELAST-PE-4,5-PB or PS"	Damp proofing for buildings, including basement tanking	EN 13969:2004; EN 13969:2004/A1:2006
- "Aquaizol ELAST-PE-5,0-PB or PS" - "Aquaizol ELAST-PE-6,5-PB or PS"	For roof waterproofing	EN 13707:2004+A2:2009
Flexible reinforced bitumen sheets: - "Aquaizol ELAST-PE-3,0" - "Aquaizol ELAST-PE-3,5"	Damp proofing for buildings, including basement tanking	EN 13969:2004; EN 13969:2004/A1:2006
- "Aquaizol ELAST-PE-4,0"	For roof waterproofing	EN 13707:2004+A2:2009
Flexible reinforced bitumen sheets: - "Aquaizol FLEX-PE-5,3-PB or PS (3,8 mm)"*	Damp proofing for buildings, including basement tanking	EN 13969:2004; EN 13969:2004/A1:2006
- "Aquaizol FLEX-PE-4,1 (2,8 mm)" - "Aquaizol FLEX-PE-5,5-PB or PS (4,2 mm)"*	For roof waterproofing	EN 13707:2004+A2:2009
Note: Products marked with symbol (*) are also intended to be used as basement tanking		

First issue: 15.08.2018

Current issue: 15.08.2026

Expiry date: 15.08.2027

Manager:
Dipl. eng. Blagovesta Shineva